

L Number	Hits	Search Text	DB	Time stamp
-	3143	318/696.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:47
-	35	318/696.ccls. and (period or interval or time) and (synchronous near4 (signal or command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:51
-	8	318/696.ccls. and (period or interval or time) and (synchronous near4 (signal or command)) and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:51
-	156	318/696.ccls. and (period or interval or time) and (signal or command) and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:51
-	82	318/696.ccls. and (period or interval or time) and (signal or command) and image and ((period or time or interval) same image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 17:18
-	15	318/696.ccls. and (period or interval or time) and (signal or command) and image and ((period or time or interval) same image) and (line near4 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 17:45
-	15	318/696.ccls. and (period or interval or time) and (signal or command) and image and ((period or time or interval) same image) and ((row or line) near4 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 18:21
-	13	kikuchi near4 akitoshi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 17:50
-	28	318/696.ccls. and (period or interval or time) and (signal or command) and image and ((period or time or interval) same image) and ((row or line or sensor) near4 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 19:58
-	39	318/696.ccls. and (period or interval or time) and (signal or command) and image and trigger\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 19:06
-	3	318/696.ccls. and (period or interval or time) and (signal or command) and image and trigger\$4 and (synchronous near4 (signal or command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 20:06

-	0	("motor and (synchronous) and (asynchronous or (non\$2 adj2 synchronous))".PN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:29
-	4597	motor and (synchronous) and (asynchronous or (non\$2 adj2 synchronous))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:31
-	350	motor and (synchronous) and (asynchronous or (non\$2 adj2 synchronous)) and color and (monochrom\$4 or black or white)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:32
-	10	motor and (synchronous) and (asynchronous or (non\$2 adj2 synchronous)) and (synchronous same color) and ((monochrom\$4 or black or white) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:35
-	10	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and (synchronous same color) and ((monochrom\$4 or black or white) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:37
-	10	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and (synchronous same color) and ((monochrom\$4 or black\$2 or white\$2) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:38
-	10	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and (synchronous same color) and ((monochrom\$4 or black\$2 or white\$2 or (black\$2 adj3 white)) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 19:38
-	10	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and (synchronous same color) and ((monochrom\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:10
-	10	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and (synchronous same color) and ((monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) same (asynchronous or (non\$2 adj2 synchronous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:11
-	614	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and color and (monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:11

-	584	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and color and (monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) and (print\$4 or scan\$4 or peripheral\$4 or fax\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:14
-	511	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and color and (monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) and (print\$4 or scan\$4 or peripheral\$4 or fax\$4) and image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:14
-	480	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and color and (monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) and (print\$4 or scan\$4 or peripheral\$4 or fax\$4) and image and step\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:16
-	161	motor and (synchronous\$4 or concurrent\$4 or simultaneous\$4) and (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))) and color and (monochrom\$4 or monoc\$4 or black\$2 or white\$2 or (black\$2 adj3 white) or (non\$2 adj2 color\$4)) and (print\$4 or scan\$4 or peripheral\$4 or fax\$4) and image and step\$4 and (monocolor\$4 or monochrom\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 20:53
-	15	motor and ((synchronous\$4 or concurrent\$4 or simultaneous\$4) same color\$4) and ((monoc\$4 or monochrom\$4 or (single\$2 adj2 color\$4) or black or white or (one\$2 adj2 color\$4) or (non\$2 adj2 color) or (black\$2 adj2 white)) same (asynchronous or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 21:00
-	18	motor and ((synchronous\$4 or synchroniz\$4 or concurrent\$4 or simultaneous\$4) same color\$4) and ((monoc\$4 or monochrom\$4 or (single\$2 adj2 color\$4) or black or white or (one\$2 adj2 color\$4) or (non\$2 adj2 color) or (black\$2 adj2 white)) same (asynchronous or asynchroniz\$4 or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4 or synchroniz\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 21:11
-	739	motor and ((synchronous\$4 or synchroniz\$4 or concurrent\$4 or simultaneous\$4) same (memory or ram or rom or epram or eprom)) and (((memory or rom or ram or epram or eprom) same (asynchronous or asynchroniz\$4 or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4 or synchroniz\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 21:13
-	5	motor and ((synchronous\$4 or synchroniz\$4 or concurrent\$4 or simultaneous\$4) same (memory or ram or rom or epram or eprom)) and (((memory or rom or ram or epram or eprom) near\$4 (small\$4 or less or little)) same (asynchronous or asynchroniz\$4 or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4 or synchroniz\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 21:14

-	1	motor and ((synchronous\$4 or synchroniz\$4 or concurrent\$4 or simultaneous\$4) same ((large\$4 or great\$4 or more) near4 (memory or ram or rom or epram or eprom))) and (((memory or rom or ram or epram or eprom) near4 (small\$4 or less or little)) same (asynchronous or asynchroniz\$4 or (non\$2 adj2 (concurrent\$4 or simultaneous\$4 or synchronous\$4 or synchroniz\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:37
-	7963	(318/696,685,254).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:37
-	1144	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:39
-	464	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 same (memory or rom or ram)) and (tim\$4 same (memory or ram or rom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:40
-	351	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 same (memory or rom or ram)) and (tim\$4 same (memory or ram or rom)) and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:41
-	82	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 near4 (memory or rom or ram)) and (tim\$4 near4 (memory or ram or rom)) and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:41
-	62	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 near4 (memory or rom or ram)) and ((tim\$4 near4 (stor\$4 or hold\$4 or held\$4)) same (memory or ram or rom)) and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 18:18
-	40	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 near4 (memory or rom or ram)) and ((tim\$4 near4 (stor\$4 or hold\$4 or held\$4)) same (memory or ram or rom)) and phase and (stepping near4 motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 18:30
-	39	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 near4 (memory or rom or ram)) and ((tim\$4 near4 (stor\$4 or hold\$4 or held\$4)) same (memory or ram or rom)) and phase and (stepping near4 motor) and (signal\$4 or trigger\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 18:33
-	9	((318/696,685,254).CCLS.) and (memory or ram or rom or epram or eprom) and (time or timer or timing) and step\$4 and (step\$4 near4 (memory or rom or ram)) and ((tim\$4 near4 (stor\$4 or hold\$4 or held\$4)) same (memory or ram or rom)) and phase and (stepping near4 motor) and trigger\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 19:05

-	60	((318/696,685,254).CCLS.) and (period or interval or time) and (signal or command) and image and trigger\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 19:06
-	11	((318/696,685,254).CCLS.) and (period or interval or time) and (signal or command) and (read\$4 or imag\$4) and (stor\$4 or memory or ram or rom or eeprom or epram) and trigger\$4 and (accelerat\$4 or decelerat\$4) and (computer or process\$4 or microprocess\$4 or cpu) and (stop\$4 or halt\$4) and (vacant\$4 or usage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 20:21
-	3	"5109476" and motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:19
-	3	"5109476" and motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:19
-	11	"5109476" and (memory or ram or rom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 19:49
-	1	"6388415" and table and accelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 18:49
-	1	"6388415" and table and accelerat\$4 and decelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 18:51
-	3	"5109476" and (memory or ram or rom) and synchronous and asynchronous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 19:52
-	3	"5109476" and (memory or ram or rom) and (isochronous or synchronous) and (asynchronous or (non\$2 adj2 sysnchronous))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 19:57
-	7	("3508002" "4578689" "4739352" "4803517" "4837589" "4900130" "4907034").PN.	USPAT	2004/02/12 19:57
-	0	((("3508002" "4578689" "4739352" "4803517" "4837589" "4900130" "4907034").PN.) and (memory or ram or rom) and (isochronous or synchronous) and (asynchronous or (non\$2 adj2 sysnchronous))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 19:57

-	205	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 16:16
-	183	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and step\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 16:17
-	97	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and (step\$4 near4 motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 16:23
-	9	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and (step\$4 near4 motor) and accelerat\$4 and decelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 16:29
-	6	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and (step\$4 near4 motor) and accelerat\$4 and decelerat\$4 and ((memory or ram or rom or epram or eprom or stor\$4) near4 (usage or using or available or vacant or use\$4 or (un\$2 adj2 use\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:14
-	2	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and (step\$4 near4 motor) and accelerat\$4 and decelerat\$4 and ((memory or ram or rom or epram or eprom or stor\$4) near4 (exceed\$4 or (less\$2 adj2 than) or less\$2 or more\$2 or (more\$2 adj2 than)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:24
-	6	((("6259225") or ("5592057") or ("6037584")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:18
-	2	("4982205" "5943139").PN.	USPAT	2004/02/14 17:20
-	6	6037584.URPN.	USPAT	2004/02/14 17:23
-	63	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and ((memory or ram or rom or epram or eprom or stor\$4) same (stop\$4 or pause\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:27
-	0	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and ((memory or ram or rom or epram or eprom or stor\$4) same (stop\$4 or pause\$4)) and accalerat\$4 and decelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:28

-	6	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and ((memory or ram or rom or epram or eprom or stor\$4) same (stop\$4 or pause\$4)) and accelerat\$4 and decelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:29
-	6	trigger\$4 and (synchronous or isochronous) and ((period or time or period or interval) same (image near4 line)) and ((line near4 image) same (synchronous or isochronous or signal)) and motor and (print\$4 or scan\$4 or peripheral) and ((memory or ram or rom or epram or eprom or stor\$4) same (stop\$4 or paus\$4)) and accelerat\$4 and decelerat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:39
-	6	((("4982205") or ("6037584") or ("5592052")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:39
-	35	"4982205" or "6037584" or "5592052"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:40
-	19	("4982205" or "6037584" or "5592052") and (stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:43
-	9	("4982205" or "6037584" or "5592052") and (stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:52
-	2	("4982205" "5943139").PN.	USPAT	2004/02/14 17:48
-	4	5943139.URPN.	USPAT	2004/02/14 17:49
-	1	("4982205" or "6037584" or "5592052") and (stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 17:57
-	8714	(stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:41
-	343	(stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (line\$4 or row\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 18:00

-	322	(stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (line\$4 or row\$2) and step\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 18:01
-	197	(stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 18:03
-	156	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 18:05
-	70	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and imag\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 18:05
-	39	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (imag\$4 same (row or line)) and imag\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:42
-	6	((("4109476") or ("5992318") or ("6384928")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 22:01
-	1	((("4109476") or ("5992318") or ("6384928")).PN.) and (PWM or pulse or width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 22:01
-	35	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (imag\$4 same (row or line)) and imag\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal)) and (pwm or pulse or width) and (phase or winding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:31

-	1	((("4109476") or ("5992318") or ("6384928")).PN.) and (restart or re-start)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:32
-	2	((("4109476") or ("5992318") or ("6384928")).PN.) and (restart or re-start or reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:32
-	6061	(stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) and (memory or rom or ram or eprom or epram) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and (restart or (re\$2 adj2 start) or reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:41
-	39	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (imag\$4 same (row or line)) and imag\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal)) and (restart or (re\$2 adj2 start) or reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:43
-	32	((stop\$4 or paus\$4 or stall\$4 or delay\$4 or halt\$4 or break\$4 or discontinu\$4 or hold\$4 or hesitat\$4 or suspend\$4) same (memory or rom or ram or eprom or epram)) and trigger\$4 and (print\$4 or scan\$4 or peripheral\$2) and (synchronous or isochronous) and accelerat\$4 and decelerat\$4 and (imag\$4 same (row or line)) and imag\$4 and (line\$4 or row\$2) and step\$4 and ((line or row\$2) near4 (trigger\$4 or signal)) and (restart or ((re\$2 adj2 start) or reset) same (memory or ram or rom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 23:44
-	3532	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:25
-	885	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (greater or vacant or available or full or capacity)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:27
-	13543	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than))(synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:28

-	424	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:29
-	381	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:31
-	358	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 19:10
-	124	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) near4 (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:32
-	4	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) near4 (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:34
-	5	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:35

-	5	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:45
-	22	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) same (vacant or available or full or capacity)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:06
-	890157	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and decelerat\$4 (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 19:17
-	75	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((memory or ram or rom) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and decelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 19:01
-	19	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and ((memory or stor\$4 or ram or rom or epram or eprom) near4 (vacant or available or full or capacity)) and ((capacity or (available near2 (memory or ram or rom))) same (greater or greater\$2 adj2 than)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and decelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 19:24
-	11	((restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) same (memory or stor\$4 or ram or rom or epram or eprom)) and ((memory or rom or ram) same (vacant or available or full or capacity)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near2 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:43

-	20	(restart\$4 or (re\$2 adj2 start\$4) or resum\$4 or (start\$4 near2 again) or (begin\$4 near2 again)) and (synchronous or isochronous) and (print\$4 or scan\$4 or peripheral) and imag\$4 and accelerat\$4 and decelerat\$4 and (speed or velocity) and ((high or hi or fast\$4) near4 (velocity or speed)) and (revers\$4 near4 rotat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:38
-	6	(("6388415") or ("5109476") or ("5992318")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:39